

Effective 7/1/2016

15A-3-112 Amendments to Chapters 29 through 31 of IBC.

(1) In IBC [P] Table 2902.1 the following changes are made:

- (a) The title for [P] Table 2902.1 is deleted and replaced with the following: "[P] Table 2902.1, Minimum Number of Required Plumbing Facilities ^{a, h}".
- (b) In the row for "E" occupancy in the field for "OTHER" a new footnote i is added.
- (c) In the row for "I-4" occupancy in the field for "OTHER" a new footnote i is added.
- (d) A new footnote h is added as follows: "FOOTNOTE: h. When provided, in public toilet facilities there shall be an equal number of diaper changing facilities in male toilet rooms and female toilet rooms."
- (e) A new footnote i is added to the table as follows: "FOOTNOTE i: Non-residential child care facilities shall comply with additional sink requirements of Utah Administrative Code R430-100-4."

(2) A new IBC, Section [P]2902.7, is added as follows:

"[P]2902.7 Toilet Facilities for Workers.

Toilet facilities shall be provided for construction workers and such facilities shall be maintained in a sanitary condition. Construction worker toilet facilities of the nonsewer type shall conform to ANSI Z4.3."

(3) In IBC, Section 3006.5, a new exception is added as follows: "Exception: Hydraulic elevators and roped hydraulic elevators with a rise of 50 feet or less."

Amended by Chapter 249, 2016 General Session